





**Super Dynamic Weather Resistant
HD Dome Network Camera
WV-SW395**



Panasonic
ideas for life

**Weather Proof Camera featuring Super
Dynamic, HD/1,280 x 960 H.264**

Places to Use



University



Super Market



Police



Ware House



Office

Advantages

High Quality Resolution



Low Quality



High Quality

Fitted with a newly developed 1.3 Megapixel MOS sensor, the WV-SW395 delivers high quality images in HD 720p and at up to 30 frames per second, resulting in a detailed image free of distortion. Multiple H.264 and VGA streams offer flexibility when deciding on monitoring and recording image quality.

720P HD images up to
30 Frames/Second



Frame1

30 Frames per
Second



Frame30

This IP cameras are capable of sending high-definition images at real time up to 30 frames rates per seconds and M – JPEG streams are compressed simultaneously in real time at super quality levels and low bit rates




Advantages

Super Dynamic & Face Super Dynamic



- ✓ Increase the visibility of subjects in dark areas
- ✓ Perfect image quality in the brightest areas.
- ✓ Analysing the illumination map/signal level distribution
- ✓ Adjusting gamma correction for each area separately.



High Sensitive With Day \ Night Function

- ✓ Impressive low minimum illumination of 0.3 lux
- ✓ viewing of colour images even when the lighting is dim.
- ✓ Further enhancement with the sense up feature, 0.5 lx (Colour), 0.0 lx (B/W) at F1.6 (Wide)

Panning with Auto Flip Function up to 360 Degrees



- ✓ Pan-tilt-zoom (PTZ) control
- ✓ 360-degree map shot
- ✓ Eight thumbnail images taken at 45-degree intervals.
- ✓ Clicking on any thumbnail easily directs the PTZ camera.

Weather and Noise Reduction




Conventional

i-Pro

- ✓ Adaptive Digital Noise Reduction
- ✓ 2D-DNR and 3D-DNR integration
- ✓ Reduced noise and motion blur in various conditions even in the bad weather

Alarm Sources Including 3 Terminal Input



- ✓ SDHC/SD memory recording
- ✓ FTP image transfer
- ✓ E-mail notification
- ✓ Indication on browser



Key Features


- ✓ 720p HD images up to 30 fps.
- ✓ Newly developed 1.3 Megapixel double speed MOS Sensor.
- ✓ IP66 rated water and dust resistant.
- ✓ High resolution recording by UniPhier Panasonic's proprietary System LSI platform.
- ✓ Full frame (Up to 30 fps) transmission at 1,280 x 960 image size.
- ✓ 18x optical zoom with 12x digital zoom enabling 216x zoom. 36x extra optical zoom under VGA resolution with 12x digital zoom enabling 432x zoom.
- ✓ Super Dynamic 128x wider dynamic range.
- ✓ Face Super Dynamic technology ensures clear face image.
- ✓ High sensitivity: 0.5 lx (Color), 0.06 lx (B/W) at F1.6 (Wide) / 0.031 lx (Color), 0.004 lx (B/W) at F1.6 (Wide) with Sens Up 16x.
- ✓ Supports Power over Ethernet.
- ✓ Desktop/Ceiling position choice and various optional brackets for versatile installations.
- ✓ Dehumidification device for use in various weather conditions.
- ✓ ONVIF compliant model.




Accessories

<p>Wall Mount Bracket WV-Q122 (PAL model only)</p>  <p>This catalog is provided for all over the world. Some accessories may not be available in some countries.</p>	<ul style="list-style-type: none"> • User License Accessory (For MPEG-4) BB-HCA5A (NTSC model) BB-HCA5CE (PAL model, Korea)* • User License Accessory (For H.264) BB-HCA8A (NTSC model) BB-HCA8CE (PAL model, Korea)*
<p>Standard Accessories</p>	<p>Quantity</p>
<p>CD-ROM</p>	<p>1 PC</p>
<p>Installation Guide</p>	<p>1 PC</p>
<p>8P Alarm Cable</p>	<p>1 PC</p>
<p>Connector for 24V AC</p>	<p>1 PC</p>
<p>Front/Rear Sun Shield</p>	<p>1 Set</p>
<p>Front/Rear Sun Shield Mounting Screws</p>	<p>2PCs</p>
<p>Code Label 2</p>	<p>1 PC</p>

Part Names & Function:



Appearance



i-PRO SmartHD

MEGA SuperDynamic

ONVIF

AFRIKANET.com
INTERNET SERVICES BY SATELLITE IN AFRICA

HD

H.264 MPEG-4

IP66 standard

36x EXTRA OPTICAL ZOOM

ALL DIGITAL

DAY/NIGHT

IR

RECORDING